

Gas Airless Sprayers

The Industry Leader in Innovation, Power and Performance



PROVEN QUALITY. LEADING TECHNOLOGY.

The G4 Difference... We Build It. We Back It. Period.



QUALITY PERFORMANCE WARRANTY PRODUCTIVITY

Only Graco delivers the industry's first choice for gas airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Precision design, 100% factory-tested and field-proven.

Cutting-edge technology keeps Graco sprayers up and running and on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures highest quality finish for every job.

Rely on any of these high performance sprayers to deliver the results you expect from a Graco.

INDUSTRY LEADING WARRANTY

Every Graco gas sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor. Sprayers so reliable you may never need to use the warranty!

UNMATCHED PRODUCTIVITY

Exclusive Endurance Pumps deliver long life, reliable performance and consistent spraying.

The Endurance Advantage Program eliminates downtime by keeping a spare pump on hand for a quick change-out on the job.

Graco has the Right Solutions for all your Gas

Graco introduces our extensive line of gas airless sprayers – all of which offer the quality and performance that you'd expect from Graco. Our flagship line, GMAX II, offers superior pressure control and the most available features. For those users who prefer gas hydraulic sprayers we offer our GH line, which has increased performance and the ability to spray heavier materials. Both our GMAX and GH lines are offered as convertibles – allowing you to swap out the gas engine for an electric motor to spray indoors. Finally, for the contractor who sprays the heaviest materials in the most extreme applications, Graco offers the IronMan 500G, GH 833, GH 733 and Roof Rigs. No matter what spraying application you face Graco has the **Total Job Solution** for you.

GRACO GAS AIRLESS SPRAYING SOLUTIONS GUIDE

SPRAYER CLASSIFICATION

TYPICAL APPLICATIONS

TYPICAL MATERIALS

ENTRY GAS

• GMAX 3400

Interior/Exterior Residential New Construction Repaint/Remodel Property Maintenance Light Commercial

Latex Paints and Primers Acrylic Paints and Primers Oil-Based Paints and Primers

PRODUCTION RATE

Medium 1 Gun Up to 0.027 tip Up to 0.75 gpm

LARGE GAS

- GMAX II 3900/5900/7900
- GMAX II 5900 Convertible
- GH 130/200/230 Convertible
- GH 300

Interior/Exterior Residential New Construction Heavy Commercial Industrial

Latex Paints and Primers Acrylic Paints and Primers Oil-Based Paints and Primers Elastomerics Block Fillers and Gypsum Drywall Mud

High Up to 5 Guns Up to 0.057 tip Up to 3.0 gpm

Airless Spraying Applications

TOTALjob*solutions*

EXTREME-DUTY GAS

- GH 733 and Roof Rigs
- GH 833

GRACO

• IronMan 500G

Heavy Commercial Industrial Roofing Architectural Water-Proofing

Elastomerics Block Fillers and Gypsum Drywall Mud Epoxies and Sealers Asphalt and Aluminum Emulsion Water-Proofing Materials

Highest Up to 6 Guns Up to 0.065 tip Up to 4.0 gpm



"We only use Graco sprayers and would never think of using any sprayer that isn't *'blue'*."



---Mike Smith Swanson & Youngdale Painting Minneapolis, MN

Features found only on a Graco

SmartControl™

Graco's advanced *SmartControl* delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Our *Premium* line of sprayers have the added benefit of a digital display with pressure readout, job/lifetime gallon counter, and self-diagnostics.

SMARTCONTROL™

WatchDog™

The *WatchDog Pump Protection System* automatically shuts the sprayer down when the bucket is empty – extending the life of the pump.



Easy Out[™] Filter

The *Easy Out Pump Filter* is designed to filter from the inside out so filters won't get stuck or collapse when they are filled with dirt or debris. It's large filtering area reduces tip clogs and ensures a quality finish. Filter removes with the cap which means less mess.

QuikReel™

Introducing *QuikReel*, the ultimate solution to hose management. With QuikReel you can reel and unreel up to 300 feet of hose in seconds! The hose is connected so you're always ready to spray. In fact, it comes connected out of the box. With Graco's innovative QuikReel, you can get on and off the job site faster.

Endurance[™] Pump

Graco's *Endurance Pump* is the most rugged and reliable pump on the market today. This field proven design with longlife *V-Max Blue*[™] packings, *Chromex*[™] rod and *MaxLife*[™] pump coatings delivers superior reliability and life.

ProConnect[™]

The **ProConnect Pump Removal and Installation System** allows you to replace your pump in seconds without any tools! This revolutionary design keeps you pumping – saving you time and money.



HONDA

ENGINES Built like no other.



Honda[®] Engine

This compact, lightweight Honda Engine is reliable, technologically advanced and easy to start. Comes with Oil Alert which contractors depend upon to keep their engine running at top performance.

Advantage Drive[™]

The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our *Advantage Drive System* to others, rather we design and manufacture them at our worldclass manufacturing facility located in the United States. This allows us to control the quality of these hardened steel gears. You can find peace of mind knowing that you have the most durable, longest lasting drive in the industry and Graco stands behind it with a lifetime warranty.



[Honda engine not exclusive to Graco.]



ENDURANCE[™]**ADVANTAGE** PROGRAM

A Solution to Keep You Spraying

Purchase any new Graco Gas Airless Sprayer and you can purchase an Endurance Pump for up to **80% OFF** the list price. Keep a spare pump on hand to save yourself time and money on every job. If you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. With reliability you can count on, Graco ensures you'll always be up and spraying! Follow the registration instructions included with your sprayer. No matter what your choice, you'll soon discover how quickly and easily the QuikChange and ProConnect lowers get you up and spraying.

✓ On the Job Replacement
 ✓ Quick and Easy Change
 ✓ No Special Tools Needed
 ✓ Gets You Spraying Faster



ProConnect no-tools pump removal system makes swapping out the Endurance Pump fast and easy!



GAS • ENTRY ENTRY ENTR • ENTRY • ENTR

GMAX 3400

The **GMAX 3400** is the perfect sprayer for the entry-level contractor who is looking for maximum power in a lightweight, portable package.

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

Endurance Pump

- Long-life V-Max Blue packings, Chromex rod and hardened Stainless Steel cylinder
- QuikAccess intake valve requires only a hammer to access the intake ball to easily clean or clear debris

Hi-Boy model shown

Single-Stage Gear Drive System

- Provides increased performance with less weight
- Quiet running gear system
- Long-life drive system prevents down time
- Fewer parts to maintain, less service requirements



GMAX 3400

DESCRIPTION GMAX 3400 Hi-Boy GMAX 3400 Lo-Boy PART #: 248664 248666

SPECIFICATIONS:

 MAX TIP SIZE:
 .027

 MAX GPM [LPM]:
 0.75 [2.8]

 MAX PSI [BAR]:
 3300 [227]

 HONDA ENGINE:
 120 cc

INCLUDES:

- Contractor[™] Gun
 RAC X[™] 517 SwitchTip[™] and Guard
 1/4 in x 50 ft [6.4 mm x 15 m]
- BlueMax[™]II Airless Hose



EcctronicControl

Electronic Pressure Control System

- Provides high quality spray pattern
- Consistent spray with all materials
- Excellent spray pattern provides a high quality finish



KGE GAS • LAKGE GAS • S • LARGE GAS • LARG

GMAX II 3900/5900/7900 Standard

GMAX II 3900

DESCRIPTION	PART #:
GMAX II 3900 Hi-Boy	248684
GMAX II 3900 Lo-Boy	248683
SPECIFICATIONS:	
MAX TIP SIZE: .036–1 G	un

.023–2 Guns MAX GPM [LPM]: 1.25 [4.7] MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 120 cc

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

GMAX II 5900

PART #:

248688

248687

PART #:

248701

248700

DESCRIPTION GMAX II 5900 Hi-Boy GMAX II 5900 Lo-Boy

SPECIFICATIONS: MAX TIP SIZE: .043–1 Gun .029–2 Guns .023–3 Guns

MAX GPM [LPM]: 1.6 [6.0] MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 160 cc

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
 1/4 in x 50 ft [6.4 mm x 15 m]

BlueMax II Airless Hose

GMAX II 7900

DESCRIPTION GMAX II 7900 Hi-Boy GMAX II 7900 Lo-Boy SPECIFICATIONS:

MAX TIP SIZE:	.048–1 Gun
	.035-2 Guns
	.027-3 Guns
	.023-4 Guns
MAX GPM [LPM]:	2.2 [8.3]
MAX PSI [BAR]:	3300 [227]

HONDA ENGINE: 200 cc

INCLUDES: • Contractor Gun

- RAC X 517 SwitchTip and Guard
 3/8 in x 50 ft [9.5 mm x 15 m]
- BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m] BlueMax II Whip Hose

The **GMAX II 3900/5900/7900** are the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial jobs. Powered by Honda engines, these portable rigs will go anywhere the job demands. With these high quality Graco sprayers coupled with the ProConnect Pump Removal System and the Endurance Advantage Program, you can be assured that you will be spraying on the job!

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

Honda Power

- Delivers maximum performance
- Contractor preferred engine with Oil Alert

SmartControl Pressure Control

 Advanced microprocessor control delivers the most consistent spray fan at all spraying pressures

Hi-Boy model shown

• LARGE GAS • LARG

Exclusive ProConnect Pump Removal and Installation System

- Proven, reliable design
- ProConnect allows you to remove and replace your pump in seconds without any tools
- Makes your work easier saving you time and money on the job



Endurance Pump

- ► Long-life V-Max Blue packings, Chromex rod and hardened Stainless Steel sleeve
- Exclusive MaxLife rod and sleeve delivers unmatched durability and life Graco's best [Available on GMAX II 7900 sprayer only]
- QuikAccess intake valve requires only a hammer to access the intake ball to easily clean or clear debris

Advantage Drive System

- Time-tested drive system provides peace of mind
- Hardened helical gears are quiet running
- Lifetime guarantee

Convertible Power – Electric/Gas

- Use indoors with electric motor
- ► No-tools change out system
- ► Self-tensioning belt for long life
- > 2.0 hp TEFC DC motor





GMAX II 5900 *Convertible*

DESCRIPTION GMAX II 5900 Con Hi-Boy GMAX II 5900 Con	vertible	PART #: 248691
Hi-Boy with Elec Kit [Non CSA] GMAX II 5900 <i>Con</i> Hi-Boy with Elec Kit [CSA]	vertible	248693 248694
GMAX II 5900 Con Lo-Boy GMAX II 5900 Con Lo-Boy with Elec Motor Kit [Non C	<i>vertible</i> tric	248695
SPECIFICATIONS: MAX TIP SIZE:	.043–1 Gun .029–2 Guns .023–3 Guns	5
MAX GPM [LPM]:	1.6 [6.0]	
MAX PSI [BAR]:	3300 [227]	
HONDA ENGINE:	160 cc	
SPECIFICATIONS WIT)TOR:
MAX GPM [LPM]:	1.1 [4.2]	

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose
- GMAX II 7900 Roof Rig

DESCRIPTION GMAX II 7900 Roof Rig

PART #: 248953

SPECIFICATIONS: MAX TIP SIZE:	.048–1 Gun .035–2 Guns .027–3 Guns .023–4 Guns
MAX GPM [LPM]:	
MAX PSI [BAR]:	3300 [227]
HONDA ENGINE:	200 cc

INCLUDES:

- Heavy-Duty Gun
- LTX527, LTX635 SwitchTips and Guard
- 20 in [50 cm] Fixed Heavy-Duty Tip Extension
- 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m] BlueMax II Whip Hose



LAKGE ARGE GAS • LARGE (

GMAX II 3900/5900/7900 *Premium*

GMAX II 3900 Premium

DESCRIPTION	PART #:
GMAX II 3900 Hi-Boy	258731
GMAX II 3900 Lo-Boy	258736
SPECIFICATIONS:	

MAX TIP SIZE: .036-1 Gun .023-2 Guns MAX GPM [LPM]: 1.25 [4.7]

MAX PSI [BAR]: 3300 [227] HONDA ENGINE: 120 cc

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] **BlueMax II Airless Hose**

. . .

GMAX II 5900 Premium

DESCRIPTION GMAX II 5900 Hi-Bov GMAX II 5900 Lo-Boy

SPECIFICATIONS: MAX TIP SIZE: .043-1 Gun

.029-2 Guns .023-3 Guns

PART #:

258732

258737

MAX GPM [LPM]: 1.60 [6.0]

MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 160 cc

INCLUDES.

Contractor Gun

- RAC X 517 SwitchTip and Guard • 1/4 in x 50 ft [6.4 mm x 15 m]
- **BlueMax II Airless Hose**

Graco took the most demanded, highest quality sprayers and added features that painting contractors demand. These *Premium* Graco sprayers have everything the Standard GMAX II spravers have *PLUS* added features that are not just dimmicks or useless frills. but rather real features that provide real value to real contractors. Features that will make your job easier - saving you time and money.

SmartControl 2.0 **Digital Display**

SmartControl display with pressure read-out, gallon counting and diagnostics



WatchDog Pump **Protection System**

- Shuts down pump when paint runs out
- Prevents dry pumping damage



On-Board Toolbox

Convenient storage container for tools, tips, filters and accessories

Standard Features:

- Endurance Pump
 - Chromex rod and hardened Stainless Steel sleeve [GMAX II 3900/5900]
 - MaxLife rod and sleeve [GMAX II 7900]
- ProConnect Pump Removal System
- Advantage Drive System
- Easy Out Pump Filter

Hi-Boy model shown



NEW QuikReel [Patent Pending]

Introducing the new QuikReel, the ultimate solution in hose management. This fieldproven design, will get you on and off the job faster - saving you time and money. With the capability to handle up to 300 feet of hose, the QuikReel system allows you to put the sprayer where you want it and the gun where you need it - maximizing your productivity.

- Integrated hose reel can be reeled/unreeled in seconds
- Hose is always connected so that you're always ready to spray
- Hose guide directs the hose on the reel eliminating twisting and coiling
- Easily handles larger diameter and longer lengths of hose maximizing your performance and productivity
- ▶ Heavy-duty swivel with EasyGlide[™] technology is jobsite tested ensuring long life and trouble free operation



GMAX II 7900 Premium

DESCRIPTION GMAX II 7900 Hi-E GMAX II 7900 Lo-I		PART #: 258733 258738
SPECIFICATIONS: MAX TIP SIZE:	.048–1 Gun .035–2 Guns .027–3 Guns .023–4 Guns	; ;
MAX GPM [LPM]:	2.20 [8.3]	
MAX PSI [BAR]:	3300 [227]	
HONDA ENGINE:	200 cc	
INCLUDES: • Contractor Gun		

- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m] **BlueMax II Airless Hose**
- 1/4 in x 3 ft [6.4 mm x .9 m] **BlueMax II Whip Hose**











RGE GAS • LARGE GAS • S • LARGE GAS • E GAS • LARGE GAS • LARGE

GH 130 *Convertible*

DESCRIPTION	PART #:
GH 130 Convertible	253957
GH 130 Convertible with	
Electric Motor Kit [Non CSA]	253959
GH 130 Convertible with	
Electric Motor Kit [CSA]	253980

SPECIFICATIONS: MAX TIP SIZE: .037–1

.037–1 Gun .023–2 Guns

MAX GPM [LPM]: 1.3 [4.9] MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 120 cc

SPECIFICATIONS WITH ELECTRIC MOTOR: MAX TIP SIZE: .031

MAX GPM [LPM]: 1.1 [4.2]

INCLUDES:

- Contractor Gun
 RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose



GH 200 *Convertible*

DESCRIPTION	PART #:
GH 200 Convertible	253962
GH 200 Convertible with	
Electric Motor Kit [Non CSA]	253963
GH 200 Convertible with	
Electric Motor Kit [CSA]	253981
SPECIFICATIONS:	
MAY TID CI7C. 047 4 Cum	

MAX TIP SIZE: .047–1 Gun .034–2 Guns .027–3 Guns .023–4 Guns .023–4 Guns MAX GPM [LPM]: 2.15 [8.14] MAX PSI [BAR]: 3300 [227] HONDA ENGINE: 160 cc

SPECIFICATIONS WITH ELECTRIC MOTOR: MAX TIP SIZE: .031

MAX GPM [LPM]: 1.1 [4.2]

INCLUDES:

- Contractor Gun
 RAC X 517 SwitchTip and Guard
- RAC X 517 Switch ip and Guard
 1/4 in x 50 ft [6.4 mm x 15 m]
- BlueMax II Airless Hose

GH 130/200/230/300

The **GH 130/200/230/300** are powerful hydraulic sprayers for high production contractors spraying a wide range of materials from latex and acrylics to elastomerics and block fillers on large commercial jobs. With the ability to change out the pump lower and convert to electric power without tools, you can be assured that you have the most versatile sprayer on the market today.

Easy Out Pump Filter and Crush-Proof Rock Catcher

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess
- Exclusive crush-proof rock catcher provides unmatched pump protection



High Capacity Cooling System

- Innovative hydraulic reservoir design
- ► No special hydraulic fluid needed
- ▶ Cooling fins on reservoir deflect heat away from sprayer



The ability to convert from gas to electric in seconds without any tools!



Exclusive ProConnect Pump Removal and Installation System

- ProConnect allows you to remove and replace your pump in seconds without any tools
- Proven, reliable design
- Makes your work easier saving you time and money on the job



MaxLife Endurance Pump

- Exclusive MaxLife rod and sleeve delivers unmatched durability and life -Graco's best [not available on GH 130]
- QuikAccess intake valve to easily clean or clear debris

Honda Power

- Delivers maximum performance
- Contractor preferred engine with Oil Alert



High Efficiency Hydraulic Pump

- Faster, more responsive changeover
- ▶ 100% 0-ring sealed fittings prevents leaks
- ► Fewer moving parts for easier maintenance and longer life



GH 230 Convertible

DESCRIPTION GH 230 Convertible GH 230 Convertible with Electric Motor Kit [Non CSA] GH 230 Convertible with **Electric Motor Kit [CSA]**

SPECIFICATIONS: MAX TIP SIZE: 253966 253982

PART #:

253965

.053-1 Gun .038-2 Guns .032-3 Guns

> .028-4 Guns .024-5 Guns

MAX GPM [LPM]: 2.35 [8.9]

MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 200 cc

SPECIFICATIONS WITH ELECTRIC MOTOR: MAX TIP SIZE: .031

MAX GPM [LPM]: 1.1 [4.2]

INCLUDES:

- Silver Plus[™] Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m]
- **BlueMax II Airless Hose**
- 1/4 in x 3 ft [6.4 mm x .9 m] **BlueMax II Whip Hose**

GH 300

DESCRIPTION GH 300

PART #: 253968

SPECIFICATIONS:	
MAX TIP SIZE:	.057–1 Gun
	.039–2 Guns
	.033–3 Guns
	.029–4 Guns
	.025–5 Guns
MAX GPM [LPM]:	3.0 [11.4]
MAX PSI [BAR]:	3300 [227]
HONDA ENGINE:	270 cc

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m]
- BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m] **BlueMax II Whip Hose**





Convertible model shown



AS • EXTREME-DUTY GAS • EXTREME-DUTY GAS • EXTREME-DUTY GAS • EXTREME-DUTY GAS • EXT EME-DUTY GAS • EXTREME-DUTY GAS • EXTREME-DUTY GAS • EXTREME-DUTY GAS • EXTREME-DUTY AND • EXTREME DUTY OND • EXTREME DUTY OND • EXTREME DUTY OND • EXTREME DUTY OND • EXTREME

GH 733 and Roof Rigs

GH 733

DESCRIPTION GH 733 Bare GH 733 Complete

SPECIFICATIONS: MAX GPM [LPM]: 3.0 [11.4]

MAX PSI [BAR]: 3500 [241]

KOHLER® ENGINE: 18.0 hp [624 cc]

PART #:

231733

230975

COMPLETE SPRAYER INCLUDES:

Silver Plus Gun

• RAC X 517 SwitchTip and Guard

 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Hose

• • • •

Roof Rigs

 DESCRIPTION
 PART #:

 GH 1015 Bare Roof Rig
 965165

 SPECIFICATIONS:
 965165

 MAX GPM [LPM]:
 15.0 [56.7]

 MAX PSI [BAR]:
 1000 [70]

 GH 2075 Bare Roof Rig
 965171

 SPECIFICATIONS:
 965171

 MAX GPM [LPM]:
 7.5 [12.4]

 MAX PSI [BAR]:
 1800 [124]

 GH 2560 Bare Roof Rig
 965168

 SPECIFICATIONS:

 MAX GPM [LPM]:
 6.0 [22.7]

 MAX PSI [BAR]:
 2400 [166]

 GH 3640 Bare Roof Rig
 687327

 SPECIFICATIONS:

 MAX GPM [LPM]:
 3.8 [14.4]

 MAX PSI [BAR]:
 3600 [245]

 GH 5030 Bare Roof Rig
 687100

 SPECIFICATIONS:

 MAX GPM [LPM]:
 2.8 [10.5]

 MAX PSI [BAR]:
 4900 [337]



Interchangeable pumps allow maximum versatility for all applications.

For more than 20 years contractors have turned to the **GH 733** and **Roof Rigs** when they need to spray some of the most aggressive materials found today. The GH 733 and Roof Rigs are simply some of the most powerful and versatile units on the market.

Heavy-Duty Graco Hydraulic System

- ► Faster more responsive changeover
- O-ring sealed to eliminate leaks
- Motor reset button to correct stalling
- Easy-to-service design
- Durable large hydraulic lines for long life

Heavy-Duty Cooling System

- Large 5-gallon hydraulic reservoir
- Large return line hydraulic filter
- No special hydraulic fluid needed
- Proven cooler and blower system
- Easy-to-use hydraulic drain plug

Kohler Power


- Reliable electric start system
- ► Time-tested power source
- Air-cooled twin cylinder keeps heat away
- 18 hp to deliver maximum power

Heavy-Duty Frame

- Field proven design withstands abuse
- 2-inch diameter steel tubing
- Tall, easy-to-roll transport tires
- Ergonomic design is easy-to-service

Exclusive Xtreme[™] Pump

- QuikChange pump section
- Time tested durability and performance
- ► Long life XtremeSeal[™] and leather packings
- Heavy-duty piston rod for long life
- > QuikAccess intake valve removes easily for fast repairs



Bare model shown

Heav

REME-DUTY GAS • EXTREME-DUTY GAS • EXTREME-DUTY GAS • EXTREME-DUTY GAS • EXTREME-DUT GAS • EXTREME-DUTY GAS • EXTREME DUT Deme Duty GAS • EXTREME DUTY GAS • EXTREME DUTY GAS • EXTREME DUTY GAS • EXTREME DUTY

GH 833

The gas hydraulic unit that can spray it all – the **GH 833 "Big Rig"**. The GH 833 is the answer for high production professional contractors who demand uninterrupted performance with the widest range of materials.

Honda Power

- 390 cc to deliver maximum performance
- Contractor preferred engine with Oil Alert

Heavy-Duty Graco Hydraulic System

- Faster, more responsive changeover
- O-ring sealed to eliminate leaks
- High-precision pressure control
- No hydraulic reset button needed
- Durable hydraulic lines for long life

Flow-Through Filter System

Inside/out design eliminates clogged filters

Complete model shown

Heavy-Duty Cooling System

Return line hydraulic filter extends life

Large 4-gallon hydraulic reservoir

No special hydraulic fluid needed
 Proven cooler and blower system

Easy to use drain plug

Eliminates tip clogs

Heavy-Duty Frame

- Easy-roll tubed pneumatic tires
- Enamel painted steel tubing corrosion protection
- > Multi-function design converts to skid mount in seconds

Exclusive MaxLife Endurance Pump

- Proven design and performance
- Only 16 cycles per gallon
- Exclusive MaxLife rod and sleeve delivers unmatched durability and life Graco's best
- Exclusive QuikChange Pump System and QuikAccess Intake Valve eliminiates downtime

GH 833 DESCRIPTION

 GH 833 Bare
 249318

 GH 833 Complete
 249617

 GH 833 OEM
 249767

 [Hydraulic Engine and Displacement Pump Only]
 GH 833 Direct Immersion Kit
 287843

PART #:

SPECIFICATIONS:

MAX TIP SIZE:	.065–1 Gun
	.046-2 Guns
	.037–3 Guns
	.032-4 Guns
	.029–5 Guns
	.026-6 Guns

MAX GPM [LPM]: 4.0 [15.1] MAX PSI [BAR]: 4000 [276]

HONDA ENGINE: 390 cc

COMPLETE SPRAYER INCLUDES:

- Silver Plus Gun
 RAC X 517, RAC X 655 SwitchTips
- and Guard • 3/8 in x 50 ft [9.5 mm x 15 m]
- BlueMax II HP Airless Hose • 1/4 in x 3 ft [6.4 mm x .9 m] BlueMax II Whip Hose

Additional Features:

- Lockable pressure control knob
- Grounding wire for safety with solvent materials
- Huge 1.5 inch diameter siphon hose
- Oversized 1-inch porting on displacement pump



MAXLIFE SECTIONARY MINI





IronMan 500G

PART #:

256790

.029-2 Guns

Power, *Durability* and *Capability* is what makes this Graco sprayer an IronMan. From its oversized engine to its rugged, heavy-duty frame the IronMan 500G is built with extreme ruggedness for the serious contractor who doesn't need all the extras but does demand ruggedness.

Increased Honda Power

200 cc Honda engine is oversized for increased performance and long life

Roll Cage Frame

"Indy Car" style roll cage protects all critical sprayer components from extreme jobsite abuse

Extreme-Duty Prime Valve

Designed to hold up to high pressure dumps for the most extreme jobsite conditions

Control Lock Theft Deterrent

- Allows the user to lock/ disable the sprayer
- Protects the controls from jobsite abuse

Flat-Proof Tires

- Nails, screws, blades cannot flatten these tires
- Pneumatic tire performance

Extreme-Duty MaxLife HD Pump

- Exclusive MaxLife sleeve and Chromex rod delivers unmatched durability and life
- Long pump design puts the intake in the material - resulting in consistent priming with even the thickest materials
- Oversized clearances ensure minimal pressure drop and increased performance

Crush-Proof Intake Screen

Holds up to impacts which are common on the jobsite

IronMan 500G

DESCRIPTION IronMan 500G

SPECIFICATIONS:

MAX TIP SIZE:

.043-1 Gun

.023-3 Guns

MAX GPM [LPM]: 1.6 [6.0]

MAX PSI [BAR]: 3300 [227] HONDA ENGINE: 200 cc

INCLUDES:

Silver Plus Gun

- RAC X 517 SwitchTip and Guard
- RAC X 527 SwitchTip
- RAC X Wide RAC[™] 1231 SwitchTip • 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose
- 3/8 in x 50 ft [9.5 mm x 15 m] **BlueMax II Airless Hose**





SEE IT FOR YOURSELF... Dynamic video on how tough the IronMan 500G sprayer is at www.graco.com/ironmanvideo



Essential tools for Maximum Productivity

RAC X SwitchTip

The **RAC X SwitchTip** is a high-performance spray tip used for residential and commercial applications. With a large selection of tip sizes available we are sure to have one to fit your needs. RAC X provides the best fan pattern life and the highest quality finish. Graco tips are the most widely used reversible spray tips on the market today!

Contractor/Silver Plus Gun

Graco's gun offerings cover every application. The *Contractor Gun* continues to be the number one choice of painting contractors, with features like the FlexSeal[™] design, Easy Out[™] gun filter and the EasyGlide[™] swivel.

With the *Silver Plus Gun*, the fluid flows directly to the tip, making it ideal for spraying heavier materials.

No matter which gun you choose, you can be assured that you're getting a quality Graco gun.

BlueMax II Hose


To maximize performance, choose the high performance *BlueMax II Airless Hose*. Lighter weight and increased hose flexibility improves usability while spraying under pressure. With superior flexibility and durability, BlueMax II is designed to ensure you get the best results from your airless sprayer.

Pump Armor[™]/TSL

Maintaining your pump is essential for long life and reliability. Graco has made pump maintenance simple with our complete line of fluids. *Pump Armor* is a storage solution which protects your pump from the damaging effects of corrosion during storage. *TSL (Throat Seal Liquid)* prevents dried paint from accumulating on the pump rod – extending the life of the pump packings.









CCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIR CCESSORIES • AIRLESS ACCESSORIES • AIRLESS

ACCESSORIES for Gas Airless Sprayers

R

		I J AND UUANDJ	
	LTX-XXX		ips, Blue [Odd #] ngest lasting fan patter
			orking Pressure: 4050
and the second	WR-XXX		C SwitchTips, Blue [0
G			im] spray fan for maxir
			orking Pressure: 4050
	246215	RAC X HandTite	
			m] thread size, standa
	246437	RAC X HandTite	
-		▶ 11/16 in [17	mm] thread size, older
T		fits competit	ive guns with 11/16 in
A BIT	286-XXX	RAC 5 SwitchT	ips, Black [Odd #]
		Ideal for resi	dential, commercial an
			orking Pressure: 4050
	243161	RAC 5 HandTite	
DI-			m] thread size, standa
	243263	RAC 5 HandTite	
			mm] thread size, older
		nis competit	ive guns with 11/16 in
	CONTRA	CTOR AND FTx GU	NS – Maximum Worki
	288420		[2-finger trigger] with
	288425		[4-finger trigger] with
	288421		[2-finger trigger] with
	288430		per trigger] with RAC >
	288429		ger trigger] with RAC >
12	288431		ger trigger] with RAC 5
121	288488	Gun Repair Kit	
			imum Working Pressur
ant	246240		[2-finger] with RAC X
2	243283		[2-finger] with RAC 5
	235460		[2-finger] with Flat Ti
5 2	235461		[4-finger] with Flat Ti
ANT THE	235462 235474	Repair Kit	Fine Finish [2-finger]
	2334/4	перан кн	
		UTY AND MASTIC	
	241705		n with RAC X 531 Tip a
			n solids, mastics, prote
	224472		in [.9 m] Extension, 50
	237260	Repair Kit – He	avy-Duty Gun
	GUN SW	VEL	
	189018	Gun Swivel rate	ed to 5600 psi [386 ba
	POLE GU	NS – Maximum Wo	orking Pressure: 3600
	287023		Gun with RAC X Swite
	287024	6 ft [1.8 m] Pol	e Gun with RAC X Swi
	FYTENCI	ONS – Mavimum li	Vorking Pressure: 4050
233	LAILIIJI		C X HandTite Guard S
	287019	10 inch [25 cm]	287021 20 inch [5
Ask you local authorized Graco Distributor	287020	15 inch [38 cm]	287022 30 inch [7
for dataile on our complete line of airlage			- -

	AND GUARDS
TX-XXX	RAC X SwitchTips, Blue [Odd #]
	It has the longest lasting fan pattern on the market.
	Maximum Working Pressure: 4050 psi [279 bar, 27.9 MPa]
NR-XXX	RAC X Wide RAC SwitchTips, Blue [Odd #]
	24 in [610 mm] spray fan for maximum coverage.
	Maximum Working Pressure: 4050 psi [279 bar, 27.9 MPa]
246215	RAC X HandTite [™] Guard
	7/8 in [22 mm] thread size, standard Graco thread
246437	RAC X HandTite Guard
	▶ 11/16 in [17 mm] thread size, older style Graco pole guns,
	fits competitive guns with 11/16 in [17 mm] threads
286-XXX	RAC 5 SwitchTips, Black [Odd #]
	 Ideal for residential, commercial and industrial jobs.
10101	Maximum Working Pressure: 4050 psi [279 bar, 27.9 MPa]
243161	 RAC 5 HandTite Guard 7/8 in [22 mm] thread size, standard Graco thread
243263	RAC 5 HandTite Guard
43203	11/16 in [17 mm] thread size, older style Graco pole guns,
	fits competitive guns with 11/16 in [17 mm] threads
CONTRACT	DR AND FTx GUNS – Maximum Working Pressure: 3600 psi [248 bar, 24.8 MPa]
288420	Contractor Gun [2-finger trigger] with RAC X 517 Tip and Guard
288425	Contractor Gun [4-finger trigger] with RAC X 517 Tip and Guard
288421	Contractor Gun [2-finger trigger] with RAC 5 517 Tip and Guard
288430	FTx Gun [4-finger trigger] with RAC X 515 Tip and Guard
288429	FTx Gun [2-finger trigger] with RAC X 515 Tip and Guard
288431	FTx Gun [4-finger trigger] with RAC 5 515 Tip and Guard
288488	Gun Repair Kit
SILVER PLU	IS GUNS – Maximum Working Pressure: 5000 psi [345 bar, 34.5 MPa]
246240	Silver Plus Gun [2-finger] with RAC X 517 Tip and Guard
243283	Silver Plus Gun [2-finger] with RAC 5 517 Tip and Guard
235460	Silver Plus Gun [2-finger] with Flat Tip Guard
235461	Silver Plus Gun [4-finger] with Flat Tip Guard
235462	Silver Plus Gun Fine Finish [2-finger] with Flat Tip Guard
235474	Repair Kit
	Y AND MASTIC GUNS
241705	Heavy-Duty Gun with RAC X 531 Tip and Guard, 4000 psi [276 bar]
04470	Ideal for high solids, mastics, protective coatings and smooth textures Nactic Cur 2C in [O m] Extension 5000 mi [045 hord]
224472	Mastic Gun 36 in [.9 m] Extension, 5000 psi [345 bar]
237260	Repair Kit – Heavy-Duty Gun
GUN SWIVE	L
89018	Gun Swivel rated to 5600 psi [386 bar, 38.6 MPa]
	Maximum Warking Processor 2000 pai 1940 bar 24.0 MPal
	Maximum Working Pressure: 3600 psi [248 bar, 24.8 MPa] 2 ft [0 m] Polo Cup with PAC X SwitchTip 517 System
287023 287024	3 ft [.9 m] Pole Gun with RAC X SwitchTip 517 System 6 ft [1.8 m] Pole Gun with RAC X SwitchTip 517 System
207024	ט זג נויט זוון דטופ טעוו אונוו האט א סאונטו ווף סדר סאַגעווו
EXTENSION	<mark>S –</mark> Maximum Working Pressure: 4050 psi [280 bar, 28.0 MPa]
	▶ Includes: RAC X HandTite Guard Standard with 7/8 in [22 mm] Gun Nut and OneSeal

287019	10 inch [25 cm]	287021	20 inch [50 cm]
287020	15 inch [38 cm]	287022	30 inch [75 cm]

ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES rless accessories • Airless accessories • Airless accessories • Airless accessories • Airless SORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIE



GH 733 KITS

948727	2 in [50 mm] Siphon Kit adapts to any GH 733, Bulldog® or King® Pump Air or Gas
948740	Lift Kit modifies GH 733 with Version Code A, B or C to accept GH 1015, GH 2074 or
	GH 2560 Pump Lowers
245244	Lift Kit modifies GH 733 with Version Code A, B or C to accept Xtreme Pump Lower Kits [GH
	733, GH 3640 and GH 5030 Pump Kits]
GH 833 KI1	15
287843	Direct Immersion Kit; Includes: Hydraulic Feed Lines, Stinger Tube and Lift Bracket
249767	OEM Kit; Includes: Hydraulic Engine/Head, Displacement Pump
287916	Non-Solvent Siphon Kit, 1.5 in diameter x 6.5 ft [2 m] Siphon Hose
287936	Non-Solvent Siphon Kit, 2 in diameter x 6.5 ft [2 m] Siphon Hose
287915	Solvent Resistant Siphon Kit, 1.5 in diameter x 6.5 ft [2 m] Siphon Hose

GUN HOSE KITS – *KITS INCLUDE THE FOLLOWING UNLESS OTHERWISE NOTED

- Airless Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft [6.4 mm x 15 m] 3300 psi [227 bar] BlueMax II Airless Hose and 3 ft [0.9 m] Whip Hose
- 288489 **Contractor Gun Hose Kit**
- 288496 Contractor Gun Hose Kit with RAC 5
- 288490 Contractor Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m] 3300 psi [227 bar] BlueMax II Airless Hose
- FTx Gun Hose Kit with RAC X 515 Tip [*Whip Hose Excluded] 288493
- FTx Gun Hose Kit with RAC 5 515 Tip [*Whip Hose Excluded] 288497
- 287095 Flex Plus Gun Hose Kit
- 287041 Silver Plus Gun Hose Kit
- Silver Plus Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m] 287042 3300 psi [227 bar] BlueMax II Airless Hose
- Silver Plus Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m] 287043 4000 psi [276 bar] BlueMax II Airless Hose
- Silver Plus Gun Hose Kit with RAC X SwitchTip, 3/8 in x 50 ft [9.5 mm x 15 m] 287850 3300 psi [227 bar] Hose
- Flex Plus Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in x 50 ft 287851 [9.5 mm x 15 m] 4000 psi [276 bar] Hose and Whip Hose
- 287852 Heavy-Duty Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in x 50 ft [9.5 mm x 15 m] 4000 psi [276 bar] Hose and Whip Hose

BLUEMAX II AIRLESS HOSE Feel the Difference in Flexibility!

- 3/16 in x 3 ft [4.8 mm x 0.9 m] 3300 psi [227 bar] BlueMax II Airless Whip Hose 238358
- 3/16 in x 4.5 ft [4.8 mm x 1.4 m] 3300 psi [227 bar] BlueMax II Airless Whip Hose 238959
- 240793 1/4 in x 25 ft [6.4 mm x 7.5 m] 3300 psi [227 bar] BlueMax II Airless Hose
- 1/4 in x 50 ft [6.4 mm x 15 m] 3300 psi [227 bar] BlueMax II Airless Hose 3/8 in x 50 ft [9.5 mm x 15 m] 3300 psi [227 bar] BlueMax II Airless Hose 240794
- 240797

BLUEMAX II HIGH PRESSURE HOSE – Maximum Working Pressure: 4000 psi [276 bar]

- 1/4 in x 3 ft [6.4 mm x 0.9 m] MxF Whip Hose 277249
- 1/4 in x 50 ft [6.4 mm x 15 m] FBE 277250
- 3/8 in x 3 ft 19.5 mm x 0.9 ml MxF Whip Hose 277351
- 3/8 in x 50 ft [9.5 mm x 15 m] FBE 277251
- 277253 1/2 in x 50 ft [13 mm x 15 m] FBE

FLUIDS

- Pump Armor 1 qt [1 L] 243103
- Pump Armor 1 gal [3.8 L] 245133
 - Use Graco's exclusive Pump Armor for long term pump storage to prohibit harmful rust and corrosion to your sprayer.
- Throat Seal Liquid [TSL] 8 oz [.24 L] 206994
- 206995 Throat Seal Liquid [TSL] - 1 qt [1 L]
- 206996 Throat Seal Liquid [TSL] - 1 gal [3.8 L]
 - Prolong the life of your pump by routinely adding TSL to your pump's wet cup.





Ask you local authorized Graco Distributor for details on our complete line of airless accessories.







GAS AIRLESS SPRAYER SPECIFICATIONS



MODEL	Cart Design– Part Number		
	Maximum Tip Size		
	Maximum psi [l	bar]	
	Maximum gpm	[lpm]	
SN	Engine		
CATIO	Weight Ibs [kg]		
SPECIFICATIONS	Gun Support: [Gas]	1 Gun 2 Guns 3 Guns 4 Guns 5 Guns 6 Guns	
	Gun Support: [Electric]	1 Gun 2 Guns	
	Gun		
ICLUDES	Hose		
Z	Tip		
	Filter		
	Туре		
đ	Intake		
PUMP	Rod		
	Cylinder		
	Packings		
SOL	Control		
CONTROL AND DRIVE	Low Paint Indicator		
A C	Drive		
RES	Hose Reel		
Premium FEATURES	Digital Readout		
	Storage		

GMAX 3400		
Hi-Boy—248664 Lo-Boy—248666		
.027		
3300 [227]		
0.75 [2.8]		
120 cc Honda		
89 [41] Hi-Boy		
0.027		
—		
—		
_		
Contractor		
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless		
RAC X 517		
Easy Out		
Endurance Piston QuikChange System		
QuikAccess		
Chromex		
Hardened SST		
V-Max Blue		
Electronic		
N/A		

O SI	O Car
GMAX II 3900	GMAX II 5900
Premium Hi-Boy-258731 Lo-Boy-258736 Standard Hi-Boy-248684 Lo-Boy-248683	Premium Hi-Boy-258732 Lo-Boy-258737 Standard Hi-Boy-248688 Lo-Boy-248687
.036	.043
3300 [227]	3300 [227
1.25 [4.7]	1.60 [6.0]
120 cc Honda	160 cc Honda
109 [50] Hi-Boy	139 [64] Hi-Boy
0.036 0.023 	0.043 0.029 0.023 — —
Contractor	Contractor
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless
RAC X 517	RAC X 517
Easy Out	Easy Out
Endurance Piston ProConnect System	Endurance Piston ProConnect System
QuikAccess	QuikAccess
Chromex	Chromex
Hardened SST	Hardened SST
V-Max Blue	V-Max Blue
SmartControl	SmartControl
WatchDog	WatchDog
Advantage Drive	Advantage Drive
QuikReel	QuikReel
SmartControl Digital	SmartControl Digital
On-Board Toolbox	On-Board Toolbox

62

There is no other sprayer like a GRACO.

Welcome to a whole new world of paint application possibilities.

Graco manufactures the most extensive and highest quality professional line of paint solutions in the market. This informational guide is designed to help you select the right solutions to your painting needs.

According to Frost & Sullivan, "U.S. Painting Contractors overwhelmingly rate Graco as the best overall brand of spray equipment and is considered the *'Overall Best'* brand among all paint-related products." When it comes to making a choice, Graco is preferred 7 to 1 over the nearest competitive brand.



Frost & Sullivan, 2008 Paint Contractors Choice Award for Overall Best Brands

Most importantly, when choosing Graco, you can be assured that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco products are designed, manufactured, and assembled right here in the United States of America, with contractor preferred Honda[®] engines. *We do!*







6MX11900 ConvertilierCMX 1 7900CH 130 ConvertilierCH 200 ConvertilierCH 201 ConvertilierH-Boy-248031 H-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031 h-Boy-248031Complete with Bedric hotor [CSA]-253802 complete with Bedric hotor [CSA]-253803 complete with Bedric hotor [CSA]-253801 complete with Bedric hotor [CSA]-253802Complete with Bedric hotor [CSA]-253802 complete with Bedric hotor [CSA]-253802Complete with Bedric hotor [CSA]-2538020.0430.0430.0480.0370.0470.0630.0430.020 ce honda102 ce honda102 ce honda100 ce honda0.020 ce honda1.318 [64] H-Boy0.0260.0230.0240.0380.0230.0230.0230.0270.0230.0230.0230.0230.0270.0230.0230.0230.0230.0230.0230.0230.0230.0230.0230.0310.0170.0310.0310.0310.0310.0230.0230.0230.0230.0230.0330.0230.0230.0230.0230.0230.0340.0430.0430.0430.0430.0430.0350.0230.0230.0230.0230.0230.0350.0230.0230.0230.0230.0230.0430.042 <t< th=""><th>Carrie .</th><th></th><th>CE31</th><th></th><th></th></t<>	Carrie .		CE31		
Hi-Boy with Electric Motor Tel Theory-2873 Tel Theory-2873 Tel Theory-2873 Tel Theory-28703 Tel The	GMAX II 5900 Convertible	GMAX II 7900	GH 130 <i>Convertible</i>	GH 200 <i>Convertible</i>	GH 230 <i>Convertible</i>
3300 [227] 3300 [227] 3300 [227] 3300 [227] 3300 [227] 1.60 [6.0] 2.2 [8.3] 1.3 [4.9] 2.15 [8.1] 2.35 [8.9] 160 cc Honda 200 cc Honda 120 cc Honda 160 (cc Honda 200 cc Honda 1.39 [64] Hi-Boy 146 [67] Hi-Boy 150 [68] 160 (72) 168 [76] 0.043 0.048 0.037 0.037 0.037 0.037 0.023 0.023 0.027 0.023 0.027 0.032 0.023 0.027 0.023 0.024 0.024 0.017	Hi-Boy with Electric Motor Kit [Non CSA]–248693 Hi-Boy with Electric Motor Kit [CSA]–248694 Lo-Boy–248695 Lo-Boy with Electric Motor	Hi-Boy-258733 Lo-Boy-258738 Standard Hi-Boy-248701 Lo-Boy-248700	Complete with Electric Motor [Non CSA]–253959 Complete with Electric	Complete with Electric Motor [Non CSA]–253963 Complete with Electric	Complete with Electric Motor [Non CSA]–253966 Complete with Electric
1.60 [6.0] 2.2 [8.3] 1.3 [4.9] 2.15 [8.1] 2.35 [8.9] 160 cc Honda 200 cc Honda 120 cc Honda 160 cc Honda 200 cc Honda 139 [64] Hi-Boy 146 [67] Hi-Boy 150 [68] 160 [72] 168 [76] 0.043 0.035 0.037 0.047 0.053 0.023 0.027 - 0.023 0.023 - 0.023 0.023 0.023 0.023 - - 0.023 0.023 0.023 0.017 - 0.017 0.017 0.024 0.017 - 0.017 0.017 0.017 0.017 - 0.017 0.017 0.017 0.017 0.017 - 0.017 0.017 0.017 0.017 0.018 N/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless 3/8 in x 50 ft [6.5 mm x 15 m] BlueMax II Airless 3/8 in x 50 ft [6.5 mm x 15 m] BlueMax II Airless 3/8 in x 50 ft [6.5 mm x 15 m] BlueMax II Airless 3/8 in x 50 ft [6.5 mm x 15 m] BlueMax II Airless 5/0 mic Bistem x 15 mi	.043	.048	.037	.047	.053
160 cc Honda 200 cc Honda 120 cc Honda 160 cc Honda 200 cc Honda 139 [64] Hi-Boy 146 [67] Hi-Boy 150 [68] 160 [72] 168 [76] 0.043 0.048 0.037 0.047 0.053 0.029 0.035 0.027 - 0.023 0.023 - 0.023 - 0.023 0.027 - - 0.023 - 0.023 0.027 - - - 0.023 0.024 0.032 0.024 - - - 0.023 0.024 0.024 - - - 0.023 0.024 0.024 -	3300 [227]	3300 [227]	3300 [227]	3300 [227]	3300 [227]
139 [64] Hi-Boy146 [67] Hi-Boy1150 [68]160 [72]168 [76]0.0430.0480.0370.0470.0530.0290.0350.0230.0340.0340.0230.0270.0230.0270.0230.0270.0230.0270.0230.0240.0240.0110.0170.0240.0310.0170.0170.0170.0310.0170.0170.0170.0310.0170.0170.0170.0170.0170.0170.0170.0310.0310.0170.0170.0170.0171/4 in x 50 ft [5.4 mm x 15 m]3/8 in x 50 ft [5.5 mm x 15 m]BlueMax II Airless3/8 in x 50 ft [5.5 mm x 15 m]BlueMax II AirlessBlueMax II Airless1/4 in x 50 ft [5.4 mm x 15 m]BlueMax II AirlessBlueMax II AirlessBlueMax II AirlessBlueMax II AirlessBlueMax II AirlessBlueMax II AirlessEndurance PistonProConnect SystemChromexQuikAccessQuikAccess<	1.60 [6.0]	2.2 [8.3]	1.3 [4.9]	2.15 [8.1]	2.35 [8.9]
0.043 0.029 0.0230.048 0.035 0.0270.037 0.023 0.023 0.0230.047 0.034 0.034 0.024 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.024 0.024 0.0170.053 0.036 0.038 0.023 0.023 0.023 0.023 0.023 0.023 0.024 0.024 0.0170.031 0.0170.031 0.0170.031 0.0170.031 0.0170.031 0.0170.031 0.0170.031 0.0170.031 0.0170.0170.031 0.0170.0170.0170.0170.0170.0170.0170.0170.0170.0170.0170.0170.0170.0170.0170.0170.01170.0110.0110.0170.0241/4 in x 50 ft [6.4 mm x15 m] BlueMax II Airless3/8 in x 50 ft [9.5 mm x15 m] BlueMax II Airless3/8 in x 50 ft [9.5 mm x15 m] BlueMax II Airless1/4 in x 50 ft [6.4 mm x15 m] BlueMax II Airless3/8 in x 50 ft [9.5 mm x15 m] 	160 cc Honda	200 cc Honda	120 cc Honda	160 cc Honda	200 cc Honda
0.029 0.023 0.023 -0.035 0.023 0.023 0.0230.023 0.023 0.023 0.023 0.0240.032 0.024 0.0240.031 0.0170.031 -0.031 0.0170.031 0.0170.031 0.017Contractor0.00170.0170.017ContractorContractorSilver Plus1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II AirlessRAC X 517RAC X 517RAC X 517RAC X 517RAC X 517Endurance Piston ProConnect SystemEndurance Piston ProConnect SystemEndurance Piston ProConnect SystemQuikAccessQuikAccessQuikAccessQuikAccessQuikAccessQuikAccessQuikAccessQuikAccessQuikAccessQuikAccessMaxLifeHardened SSTMaxLifeHardened SSTMaxLifeHydraulicHydraulicMatchDogQuikActopHydraulicHydraulicMatchDogAdvantage DriveHydraulicHydraulicN/AQuikAceelN/AN/A	139 [64] Hi-Boy	146 [67] Hi-Boy	150 [68]	160 [72]	168 [76]
0.0170.0170.0170.017ContractorContractorContractorSilver Plus1/4 in x 50 tt [6,4 mm x 15 m] BlueMax II Airless3/8 in x 50 tt [9,5 mm x 15 m] BlueMax II Airless1/4 in x 50 tt [6,4 mm x 15 m] BlueMax II Airless3/8 in x 50 tt [9,5	0.029	0.035 0.027		0.034 0.027	0.038 0.032 0.028
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II AirlessRAC X 517RAC X 517RAC X 517RAC X 517RAC X 517Easy OutEasy OutEasyOutEasyOutEasyOutEndurance Piston ProConnect SystemEndurance Piston OuikAccessEndurance Piston ProConnect SystemEndurance Piston ProConnect SystemQuikAccessQuikAccessQuikAccessQuikAccessQuikAccessMaxLifeHardened SSTMaxLifeMaxLifeHardened SSTSmartControlHydraulicHydraulicHydraulicWatchDogWatchDogHydraulicHydraulicHydraulicMattage DriveAdvantage DriveN/AN/AN/A					
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II AirlessBlueMax	Contractor	Contractor	Contractor	Contractor	Silver Plus
Image: constraint of the server of the ser					BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm]
Endurance Piston ProConnect SystemEndurance Piston QuikAccessEndurance Piston ProConnect SystemEndurance Piston 	RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517
ProConnect SystemQuikChange SystemProConnect SystemProConnect SystemQuikAccessQuikAccessQuikAccessQuikAccessChromexMaxLifeChromexMaxLifeMaxLifeHardened SSTMaxLifeHardened SSTMaxLifeMaxLifeV-Max BlueV-Max BlueV-Max BlueV-Max BlueV-Max BlueSmartControlSmartControlHydraulicHydraulicHydraulicMatchDogMatchDogHydraulicHydraulicHydraulicN/AQuikReelN/AN/AN/AN/ASmartControl DigitalN/AN/AN/A	Easy Out	Easy Out	EasyOut	EasyOut	EasyOut
ChromexMaxLifeChromexMaxLifeMaxLifeHardened SSTMaxLifeHardened SSTMaxLifeMaxLifeV-Max BlueV-Max BlueV-Max BlueV-Max BlueV-Max BlueSmartControlSmartControlHydraulicHydraulicHydraulicWatchDogWatchDogHydraulicHydraulicHydraulicAdvantage DriveAdvantage DriveHydraulicHydraulicHydraulicN/AQuikReelN/AN/AN/AN/ASmartControl DigitalN/AN/AN/A					
Hardened SSTMaxLifeHardened SSTMaxLifeMaxLifeV-Max BlueV-Max BlueV-Max BlueV-Max BlueV-Max BlueSmartControlSmartControlHydraulicHydraulicHydraulicWatchDogWatchDogHydraulicHydraulicHydraulicAdvantage DriveAdvantage DriveHydraulicHydraulicHydraulicN/ASmartControl DigitalN/AN/AN/A	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess
V-Max BlueV-Max BlueV-Max BlueV-Max BlueSmartControlSmartControlHydraulicHydraulicHydraulicWatchDogWatchDogHydraulicHydraulicHydraulicAdvantage DriveAdvantage DriveHydraulicHydraulicHydraulicN/AQuikReelN/AN/AN/AN/ASmartControl DigitalN/AN/AN/A	Chromex	MaxLife	Chromex	MaxLife	MaxLife
SmartControlSmartControlHydraulicHydraulicWatchDogWatchDogHydraulicHydraulicHydraulicAdvantage DriveAdvantage DriveHydraulicHydraulicHydraulicN/AQuikReelN/AN/AN/AN/ASmartControl DigitalN/AN/AN/A	Hardened SST	MaxLife	Hardened SST	MaxLife	MaxLife
WatchDog WatchDog Hydraulic Hydraulic Advantage Drive Advantage Drive Hydraulic Hydraulic N/A QuikReel N/A N/A N/A N/A SmartControl Digital N/A N/A N/A	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue
Advantage Drive Advantage Drive Hydraulic Hydraulic N/A QuikReel N/A N/A N/A SmartControl Digital N/A N/A	SmartControl	SmartControl	Hydraulic	Hydraulic	Hydraulic
N/A QuikReel N/A N/A N/A SmartControl Digital N/A N/A	WatchDog	WatchDog	Hydraulic	Hydraulic	Hydraulic
N/A SmartControl Digital N/A N/A N/A	Advantage Drive	Advantage Drive	Hydraulic	Hydraulic	Hydraulic
	N/A	QuikReel	N/A	N/A	N/A
N/A On-Board Toolbox N/A N/A	N/A	SmartControl Digital	N/A	N/A	N/A
	N/A	On-Board Toolbox	N/A	N/A	N/A



GH 300

Complete-253968

.057
3300 [227]
3.0 [11.4]
270 cc Honda
195 [88]
0.057 0.039 0.033 0.029 0.025 —
Silver Plus
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose
RAC X 517
Easy Out
Endurance Piston ProConnect System
QuikAccess
MaxLife
MaxLife
V-Max Blue
Hydraulic
Hydraulic
Hydraulic
N/A
N/A

N/A

GH 733	GH 833
Bare–231733 Complete–230975 GH 1015 Bare–965165 GH 2075 Bare–965171 GH 2560 Bare–965168 GH 3640 Bare–687327 GH 5030 Bare–687100	Bare–249318 Complete–249617 GH 833 OEM–249767 GH 833 Direct Immersion Kit–287843
.060	.065
3500 [240]	4000 [276]
3.0 [11.4]	4.0 [15.1]
18 hp [624 cc] Kohler	390 cc Honda
	0.065 0.046 0.037 0.032 0.029 0.026
	_
Silver Plus	Silver Plus
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose	3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose
RAC X 517	RAC X 655, RAC X 517
	Easy Out
Endurance Piston QuikChange System	Endurance Piston QuikChange System
QuikAccess	QuikAccess
Hardened SST	MaxLife
Hardened SST	MaxLife
V-Max Blue	V-Max Blue
Hydraulic	Hydraulic
Hydraulic	Hydraulic
Hydraulic	Hydraulic
N/A	N/A
N/A	N/A
N/A	N/A



0201		
	ironMan 500G	
	256790	
	.043	
	3300 [227]	
	1.60 [6.0]	
	200 cc Honda	
	168 [76]	
	0.043 0.029 0.023 	
	Silver Plus	
	3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	
	RAC X 517, RAC X 527, RAC X Wide RAC 1231	
	Easy Out	
	Endurance Piston QuikChange System	
	QuikAccess	
	Chromex	
	MaxLife	
	V-Max Blue	
	IronMan	
	WatchDog	
	Advantage Drive	
IAN RES	Flat-Proof Tires	
RONM	Heavy-Duty Prime Valve	
= ш	Control Lock Theft Deterent	

WARRANTY

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

NOBODY ELSE BUILDS SPRAYERS LIKE THIS

2 YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 2 years.

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get *FREE* next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair. *NORTH AMERICA ONLY. See your local Graco distributors for country specifics.



ABOUT GRACO

PROVEN QUALITY, LEADING TECHNOLOGY,

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with gualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS P.O. Box 1441 Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

AMERICAS

MINNESOTA Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA Graco Australia Pty Ltd

Suite 17 2 Enterprise Drive Bundoora Victoria 3083 Australia Tel: 61 3 9467 8558 Fax: 61 3 9467 8559

CHINA

Graco Hong Kong Ltd. Shanghai Representative Office Room 118 1st Floor No.2 Xin Yuan Building No.509 Cao Bao Road Shanghai, P.R. China 200233 Tel: 86 21 649 50088 Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd. India Liaison Office Room 103, Level 4, Augusta Point **Golf Course Road** Gurgaon, Haryana, India 122001 Tel: +91 124 435 4208 Fax: +91 124 435 4001

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc. **Choheung Bank Building** 4th Floor #1599 Gwanyang-Dong, Dongan-Ku, Anyang-Si, Gyunggi-Do, Korea 431-060 Tel: 82 31 476 9400 Fax: 82 31 476 9801

SALES/ **DISTRIBUTION/** SERVICE

Call today for product information or to request a demonstration. 800-690-2894 or visit us at www.graco.com. Graco Inc. is registered to I.S. EN ISO 9001

North America Customer Service 800-690-2894 Fax 800-334-6955

> ©2009 Graco Inc. 337554 Rev. G 12/09 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. Blue is a trademark of Graco Inc. for Contractor Equipment Sprayers.